	Application No.	Applicant(s)
Notice of Allowability	10/617,315	KUNCE, JIM D.
	Examiner	Art Unit
	Mary C. Baran	2857
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>31 August 2007</u> .		
2. The allowed claim(s) is/are <u>1-3,9-17,23-31 and 33-49</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements</li> </ul>		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. ☐ Notice of References Cited (PTO-692)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	• •
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7.	te
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number:

10/617,315 Art Unit: 2857

## **DETAILED ACTION**

## Response to Amendment

1. This action is responsive to the Amendments filed 31 August 2007. Claims 1-3, 9-17, 23-31 and 33-49 are pending. Claims 33-35 49 are amended. Claims 4-8, 18-22 and 32 cancelled.

## Allowable Subject Matter

- 2. Claims 1-3, 9-17, 23-31 and 33-49 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

Claims 1-3 are allowable over the prior art because a computer system user interface for statistical analysis comprising: a configuration and control display screen configured to receive user input selecting a particular statistical analysis to be performed on the tabular data, wherein the statistical analysis is configured to find at least one statistically significant factor affecting a given response within the user input data based on the particular statistical analysis selected through the configuration and control display screen is not found, taught or suggested in the prior art of record.

Claims 9-17 and 23-31 are allowable over the prior art because a method comprising: automatically performing the indicated statistical analysis for all indicated elements without further interaction wherein the statistical analysis identifies a significant factor in the tabular data; and generating results of the statistical analysis in a

Application/Control Number:

10/617,315 Art Unit: 2857

result page of the plurality of pre-defined pages wherein the results identify the significant factor is not found, taught or suggested in the prior art of record.

Claims 33 and 34 are allowable over the prior art because the combination of limitations which recite computing factors for the desired analysis, wherein the computing of factors for the desired analysis comprises finding statistically significant factors affecting a given response within the user based on the identified desired analysis is not found, taught or suggested in the prior art of record.

Claims 35-49 are allowable over the prior art because the combination of limitations which recite an indication of factor-type X elements and at least one response-type Y element associated with the received data; performing the indicated statistical analysis for all indicated elements, wherein the statistical analysis identifies a significant factor among the indicated factor-type X elements with respect to said at least one identified response-type Y element; and generating results of the statistical analysis, wherein the results identify the significant factor is not found, taught or suggested in the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

10/617,315 Art Unit: 2857 Page 4

## Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary C. Baran whose telephone number is (571) 272-2211. The examiner can normally be reached on Monday to Friday 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eliseo Ramos-Feliciano can be reached on (571) 272-7925. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mary Catherine Baran 29 November 2007

ELISEO RAMOS-FELICIANO SUPERVISORY PATENT EXAMINER